#### Product Specifications for CPSC Standards, Rules, Regulations, and Bans

Below please find a list of CPSIA certification standards, rules, regulations, and bans that apply to specified product categories. Please note that these lists include only those CPSC-enforced standards, rules, regulations, and bans that require CPSIA certification. Other federal and/or state standards, rules, regulations, and bans may apply to your products. It is you responsibility to individually assess each product to determine the appropriate requirements.

#### **CHILDREN'S PRODUCTS**

#### <u>Infant and Toddler Bottles, Sippy Cups, Utensils, Bibs, Pacifiers, Teethers, and Other Infant and Toddler</u> <u>Items To Help a Child Sleep, Feed, or Teethe</u>

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings:	90 ppm	CPSC-CH-E1003-09
Lead in Substrate	100 ppm	Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1
Phthalates	<ul><li>1,000 ppm DEHP, DBP, or BBP in toys or childcare articles</li><li>1,000 ppm DIDP, DINP, or DNOP in toys or childcare article intended for children under 3 that can be placed in the child's mouth</li></ul>	CPSC-CH-C1001-09.3 or GB/T 22048-2008
Small Parts	Shall meet small parts testing	16 CFR 1501 and ASTM F963-11
Sharp Edges and Points	Shall meet sharp edges and points testing	16 CFR 1500.48, 16 CFR 1500.49, and ASTM F963-11
Pacifier and Toy Pacifiers	Shall meet safety requirements	16 CFR 1511 and ASTM F963-11
Teethers and Teething Toys	Shall meet safety requirements	ASTM F963-11
Toys Intended to be Attached to a Crib or Playpen	Shall meet safety requirements	ASTM F963-11

# **Children's Jewelry**

Standard	Limits/Standard	Test Methods	
Lead in Paint and Surface Coatings:	90 ppm 100 ppm	CPSC-CH-E1003-09	
Lead in Substrate		Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1	
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1	
Small Parts	Shall meet small parts testing	16 CFR 1501 and ASTM F963-11	
Sharp Edges and Points	Shall meet sharp edges and points testing	16 CFR 1500.48, 16 CFR 1500.49, and ASTM F963-11	

# **<u>Children's Toys</u>**

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings:	90 ppm	CPSC-CH-E1003-09
Lead in Substrate	100 ppm	Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1
Phthalates	<ul><li>1,000 ppm DEHP, DBP, or BBP in toys or childcare articles</li><li>1,000 ppm DIDP, DINP, or DNOP in toys or childcare article intended for children under 3 that can be placed in the child's mouth</li></ul>	CPSC-CH-C1001-09.3 or GB/T 22048-2008
Small Parts	Shall meet small parts testing	16 CFR 1501 and ASTM F963-11
Sharp Edges and Points	Shall meet sharp edges and points testing	16 CFR 1500.48, 16 CFR 1500.49, and ASTM F963-11
Standard Consumer Safety Specification for Toy Safety	Various safety requirements (see <u>http://www.cpsc.gov/cgi-bin/labsearch/</u> for listing of all ASTM F963-11 requirements)	ASTM F963-11
Electrically Operated Toys	Shall meet safety requirements	16 CFR 1505 and ASTM F963-11
Rattles	Shall meet safety requirements	16 CFR 1510 and ASTM F963-11
Toys with Magnets	Shall meet safety requirements	ASTM F963-11
Clacker Balls	Shall meet safety requirements	16 CFR 1500.86(a)(5)

# **Children's Apparel (including Children's Sleepwear/Loungewear)**

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings:	90 ppm	CPSC-CH-E1003-09
Lead in Substrate	100 ppm	Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1
Phthalates (sleepwear only)	<ul><li>1,000 ppm DEHP, DBP, or BBP in toys or childcare articles</li><li>1,000 ppm DIDP, DINP, or DNOP in toys or childcare article intended for children under 3 that can be placed in the child's mouth</li></ul>	CPSC-CH-C1001-09.3 or GB/T 22048-2008
Flammability	Shall meet flammability requirements	16 CFR Sections 1610, 1611, 1615, and/or 1616

### **Children's Footwear**

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings:	90 ppm	CPSC-CH-E1003-09
Lead in Substrate	100 ppm	Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1

### Infant Accessories (Bouncers, Prop Mats, Play Gyms, Walkers, Tummy Cruisers, Carriers, Diaper Bags, Shopping Cart Liners, Step Stools)

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings:	90 ppm	CPSC-CH-E1003-09
Lead in Substrate	100 ppm	Metal: CPSC-CH-E1001-08 or CPSC-CH-E1001-08.1
		Non-Metal: CPSC-CH-E1002-08 or CPSC-CH-E1002-08.1
Phthalates (only toys and childcare articles)	1,000 ppm DEHP, DBP, or BBP in toys or childcare articles	CPSC-CH-C1001-09.3 or GB/T 22048-2008
	1,000 ppm DIDP, DINP, or DNOP in toys or childcare article intended for children under 3 that can be placed in the child's mouth	
Small Parts	Shall meet small parts testing	16 CFR 1501 and ASTM F963-11
Sharp Edges and Points	Shall meet sharp edges and points testing	16 CFR 1500.48, 16 CFR 1500.49, and ASTM F963-11
Infant Bath Seats	Shall meet safety requirements	16 CFR 1215
Infant Walkers	Shall meet safety requirements	16 CFR 1215
Play Yards	Shall meet safety requirements	16 CFR 1221
Toys Intended to be Attached to a Crib or Playpen	Shall meet safety requirements	ASTM F963-11

# **NON-CHILDREN'S PRODUCTS**

### Furniture (Chairs, Tables, Stools, Benches, Ottomans, Storage Bins, Outdoor Furniture)

Standard	Limits/Standard	Test Methods
Lead in Paint and Surface Coatings	90 ppm	CPSC-CH-E1003-09

### Home Accents (Candles, Candle Holders and Accessories, Accent Textiles)

Standard	Limits/Standard	Test Methods
Metal Candle Wicks	Lead content must not exceed 600 ppm	16 CFR 1500.17(a)(13)

### **Carpets and Rugs**

Flammability	of	Carpets	Shall meet flammability requirements	16 CFR 1630; or 16 CFR 1631
and Rugs				

### **Adult Apparel and Accessories**

Standard	Limits/Standard	Test Methods
Flammability	Shall meet flammability requirements	16 CFR 1610 (clothing textiles); 16 CFR 1611 (vinyl film)

## Lingerie/Hosiery

Standard	Limits/Standard	Test Methods
Flammability	Shall meet flammability requirements	16 CFR 1610 (clothing textiles); 16 CFR 1611 (vinyl film)

#### **Mattresses**

Standard	Limits/Standard	Test Methods
Flammability	Shall meet flammability requirements	16 CFR 1632; 16 CFR 1633